

# 3312 SOLVENT RTR

\* Displayed with additional safety hood

12 Spectra High Performance Piezoelectric Jetting Assembly printing True 600 dpi

Back lit Camera Option

Mesh Adaptors

Heater Mesh Blanket reduces the drying times

Intuitive user interface

Choice of Rips for different operating systems: Onyx | Wasatch SoftRip

High / Low vacuum system

Steel Frame Construction

Rewind (Take Up) Unit (available as an option)

Safety Shut Off



**GANDINNOVATIONS**  
where innovation meets perfection

## Jeti 3312 SOLVENT RTR

### Jeti 3312 Solvent RTR

The introduction of the Jeti 3312 offers a 3.3 m (10'10") grand-format printer with True 600 dpi (1200 dpi apparent) with equal or better quality than any large format inkjet printer in the market. The Jeti 3312 is unquestionably the lowest cost high resolution printer in the market today comparing cost of the printer, ink and production, achieving speeds far greater than any other large format ink jet printer on the market. The Jeti 3312 also is available with a back-lit option to print on both sides with perfect registration which allows operators to produce brilliant warranted backlit signage. At the forefront of the technological enhancements is the software upgrade, which can detect if any individual nozzle may be misfiring. The software will automatically compensate the saturation, safe-guarding the image output. This safe-proof technology is the first of its kind in the grand-format arena. The Jeti 3312 comes with choice of RIP and full training of printer during setup. Also included is a 1 year full warranty on parts and labor with an option of an extended warranty.

#### Technical Specifications

<b>Technology</b>	Spectra High Performance Piezoelectric Jetting Assembly, quantity 12.	<b>Weight</b>	3800 lbs / 1723 kgs uncrated. Add 1200 lbs / 544 kg for crating.
<b>Print Resolution</b>	Prints high quality at True 600 dpi 6 color (1200 apparent). Also available in 300 dpi.	<b>Printer Dimensions</b>	60" h x 33" w x 206" l (153cm x 84cm x 523cm) Crated dims: 76" h x 51" w x 221" l.
<b>Media Dimensions</b>	Roll substrate max size: 3.3 meter / 10'6" wide. Max diameter is 0.3281m (12") on a 7.62cm (3") inside core.	<b>Power Consumption</b>	12 KVA (60A).
<b>Media Types</b>	Reinforced vinyl, pressure sensitive vinyl, canvas, fabrics, mesh and paper.	<b>Electrical Requirements</b>	208V / 240V Single phase, 50/60 Hz.
<b>Printing Speeds</b>	<b>IMPROVED SPEEDS</b> on all resolutions, call for latest speeds on True 600 dpi and 300 dpi.		

**Note:** - Clear Top Coat Varnish for separate applications available in low, medium and high gloss. Call for information.

Click, call or come down to see our full range of Grand Format Digital Printers.

www.gandininnovations.com



<b>Options (Extra)</b>	Modular Back-Lit Camera Unit, Rewind (Take Up) Unit, Retro Heater.
<b>Supported Platforms</b>	Microsoft Windows, Apple Machintosh, Linux.
<b>Processors</b>	P4 (3.4 GHz).
<b>Interpreter</b>	Custom - Gandinnovations Software Development.
<b>Network</b>	10/100/1000 Mbit/sec Ethernet.
<b>Protocols</b>	Ethertalk and TCP/IP.
<b>Monitor</b>	420mm (17 inch) LCD Flat panel Display.
<b>Operator Console</b>	Adjustable shelf with keyboard, mouse and monitor.
<b>Input Formats</b>	Adobe Postscript Level 3, Pdf, Jpeg, Tiff, Eps, RGB.
<b>Rips</b>	Includes your choice from:- Wasatch SoftRip or Onyx.
<b>Compressed Air</b>	80 PSI minimum - 100 PSI maximum with a 10 gallon (40 liter tank) 5 cfm peak.
<b>Inks</b>	Shelf life is 1 year for Solvent inks. Solvent inks will last outdoors from 1-3 years depending on location. Water based clear top coat varnish is available as a separate application to increase the outdoor life and to add or reduce gloss.
<b>Environment</b>	Enclosed dust free room with ambient temperatures ranging from 20°C - 23°C (68°F - 73°F). Relative Humidity 40% to 55% to operate at optimum level ( <i>Environment is critical for the printer</i> ).
<b>Warranty</b>	1 year warranty on all parts including print heads, labor valid with the use of Gandinnovations original inks and parts. Extended warranty available on printer. 5 years graphics warranty. ( <i>call for specific information on warranty</i> )
<b>Services</b>	Online Technical Support, 8:00am - 8:00pm ( <i>eastern standard</i> ) Monday - Friday, Fully qualified service engineers available onsite ( <i>within 24 hrs</i> ). <b>T:1 866 500 JETi (North America).</b>

**Gandinnovations - North America**  
**Hary Gandy**

C: 1 210 241 8511  
 F: 905 502 9360  
 E: northamerica@gandigroup.com

**Marketing Worldwide**

**Tom Reilly**  
 5975 Falbourne Street,  
 Mississauga, Ontario L5R 3V8  
 Canada

T: 905 361 6997  
 F: 905 502 9360  
 E: marketing@gandigroup.com

**Gandinnovations U.S.A**  
**Media & Inks**

**Cory Brock**  
 941 Isom Road  
 San Antonio, TX 78216 U.S.A.  
 T: 1 866 500 JETi  
 F: (210) 344 9569  
 E: consumables@gandigroup.com

**Gandinnovations - Europe**  
**Patrick Pittoors**

**Ann Robaye**  
 Generaal de Wittelaan 7a  
 2800 Mechelen  
 Belgium  
 T: +32 (0) 15 460 204  
 F: +32 (0) 15 460 205  
 E: europe@gandigroup.com

**Middle East & Africa**

**Abdallah Ghalayini**  
 Regional Managing Director ME&A  
 Gandinnovations FZCO  
 Dubai Airport Free Zone  
 East Wing 1 - Office 110  
 Dubai - United Arab Emirates  
 T: +971 4 299 69 69  
 F: +971 4 299 41 19  
 USA Mobile : +1 413 885 5600  
 UAE Mobile : +971 50 798 6590

**Gandinnovations - South East Asia**  
**Ann Ng**

Regional Manager  
 Gandinnovation Asia Pacific  
 Unit F, 7/F, Sunview Industrial Building,  
 No 3 On Yip Street  
 Hong Kong  
 Singapore : +65 9658 1348  
 Hong Kong : +852 9333 2033  
 E: southeastasia@gandigroup.com

**Gandinnovations - India**  
**Chandan Mishra**

T: +91 98203 32555  
**Manesh Shetty**  
 T: +91 98206 44007  
**Pradeep Satyanarayana**  
 T: +91 98802 84246  
 F: +91 22289 78242  
 E: india@gandigroup.com

**Gandinnovations - South America**  
**Cristian Gonzales**

T: (404) 451 5856  
 E: latinamerica@gandigroup.com

**Gandinnovations - Mexico**

**Carlos Guzman**  
 Gandinnovations S.A. De C.V.  
 Calzada San Simon # 27,  
 Col San Simon Tolnahuac,  
 Delegacion Cuauhtemoc,  
 Mexico DF CP 06920  
 T: +52 55 3946 0096  
 F: +52 55 3946 0091  
 E: mexico@gandigroup.com

*click, call or come in.*

24 Spectra High Performance Piezoelectric Jetting Assembly printing True 600 dpi

Back lit Camera Option

Mesh Adaptors

Heater Mesh Blanket reduces the drying times



Intuitive user interface



Choice of Rips for different operating systems:  
Onyx | Wasatch SoftRip



High / Low vacuum system



Steel Frame Construction

Safety Shut Off

Rewind (Take Up) Unit  
(available as an option)



## Jeti 3324 SOLVENT RTR

### Jeti 3324 Solvent RTR

The Jeti 3324 Solvent Roll to Roll, fresh off the press, with 24 Spectra print heads is unquestionably the fastest 3.3m (10'10") meter grand-format printer on the market today. True 600 dpi (1200 apparent) and 6 colors graphics on the Jeti 3324 puts it in a class of its own, producing quality that competes with conventional large format inkjet printers at far lesser cost. The Jeti 3324 also is available with a back-lit option enabling printing on both sides with perfect registration which allows for brilliant warranted backlit signage. The Jeti 3324 is also available in a 300 dpi 4 color high speed model achieving between 100 -130 sqm/hr (1075-1205 sq.ft/hr) depending on quality requirements for extra large images such as billboards. At the forefront of the technological enhancements is the software upgrade, which can detect if any individual nozzle may be misfiring. The software will automatically compensate the saturation, safe-guarding the image output. This safe-proof technology is the first of its kind in the grand-format arena. Also included with the automatic head-capping feature (auto caps in 15 minutes if machine sets) is an automated air vacuum system that eliminates manual head wiping.

#### Technical Specifications

<b>Technology</b>	Spectra High Performance Piezoelectric Jetting Assembly, quantity 24.	<b>Weight</b>	4,000 lbs / 1814 kgs uncrated. Add 1000 lbs / 451 kg for crating.
<b>Print Resolution</b>	Prints high quality at True 600 dpi 6 color (1200 apparent). Also available in 300 dpi.	<b>Printer Dimensions</b>	67"h x 36"w x 228"l (170 cm x 91 cm x 579 cm) Crated dims: 76"h x 51"w x 236"l.
<b>Media Dimensions</b>	Roll substrate max size: 3.2 meter / 10'6" wide. Max diameter is 0.3281m (12") on a 7.62cm (3") inside core.	<b>Power Consumption</b>	12 KVA (60A).
<b>Media Types</b>	Reinforced vinyl, pressure sensitive vinyl, canvas, fabrics, mesh and paper.	<b>Electrical Requirements</b>	208V / 240V Single phase, 50/60 Hz.
<b>Printing Speeds</b>	<b>IMPROVED SPEEDS</b> on all resolutions, call for latest speeds on True 600 dpi and 300 dpi.	<p><b>Note:</b> - Clear Top Coat Varnish for separate applications available in low, medium and high gloss. Call for information.</p>	

Click, call or come down to see our full range of Grand Format Digital Printers.



<b>Options (Extra)</b>	Modular Back-Lit Camera Unit, Rewind (Take Up Unit), Retro Heater.
<b>Supported Platforms</b>	Microsoft Windows, Apple Machintosh, Linux.
<b>Processors</b>	P4 (3.4 GHz).
<b>Interpreter</b>	Custom - Gandinnovations Software Development.
<b>Network</b>	10/100/1000 Mbit/sec Ethernet.
<b>Protocols</b>	Ethertalk and TCP/IP.
<b>Monitor</b>	420mm (17 inch) LCD Flat panel Display.
<b>Operator Console</b>	Adjustable shelf with keyboard, mouse and monitor.
<b>Input Formats</b>	Adobe Postscript Level 3, Pdf, Jpeg, Tiff, Eps, RGB.
<b>Rips</b>	Includes your choice from:- Wasatch SoftRip or Onyx.
<b>Compressed Air</b>	80 PSI minimum - 100 PSI maximum with a 10 gallon (40 liter tank) 5 cfm peak.
<b>Inks</b>	Shelf life is 1 year for Solvent inks. Solvent inks will last outdoors 1-3 years depending on location. Water based clear top coat varnish is available as a separate application to increase the outdoor life and to add or reduce gloss.
<b>Environment</b>	Enclosed dust free room with ambient temperatures ranging from 20°C - 23°C (68°F - 73°F). Relative Humidity 40% to 55% to operate at optimum level ( <i>Environment is critical for the printer</i> ).
<b>Warranty</b>	1 year warranty on all parts including print heads, labor valid with the use of Gandinnovations original inks and parts. Extended warranty available on printer. 5 years graphics warranty. ( <i>call for specific information on warranty</i> )
<b>Services</b>	Online Technical Support, 8:00am - 8:00pm ( <i>eastern standard</i> ) Monday - Friday, Fully qualified service engineers available onsite ( <i>within 24 hrs</i> ). <b>T: 1 866 500 JETi (North America).</b>

**Gandinnovations - North America**  
**Hary Gandy**

C: 1 210 241 8511  
 F: 905 502 9360  
 E: northamerica@gandigroup.com

**Marketing Worldwide**

**Tom Reilly**  
 5975 Falbourne Street,  
 Mississauga, Ontario L5R 3V8  
 Canada

T: 905 361 6997  
 F: 905 502 9360  
 E: marketing@gandigroup.com

**Gandinnovations U.S.A**  
**Media & Inks**

**Cory Brock**  
 941 Isom Road  
 San Antonio, TX 78216 U.S.A.  
 T: 1 866 500 JETi  
 F: (210) 344 9569  
 E: consumables@gandigroup.com

**Gandinnovations - Europe**  
**Patrick Pittoors**

**Ann Robaye**  
 Generaal de Wittelaan 7a  
 2800 Mechelen  
 Belgium  
 T: +32 (0) 15 460 204  
 F: +32 (0) 15 460 205  
 E: europe@gandigroup.com

**Middle East & Africa**

**Abdallah Ghalayini**  
 Regional Managing Director ME&A  
 Gandinnovations FZCO  
 Dubai Airport Free Zone  
 East Wing 1 - Office 110  
 Dubai - United Arab Emirates  
 T: +971 4 299 69 69  
 F: +971 4 299 41 19  
 USA Mobile : +1 413 885 5600  
 UAE Mobile : +971 50 798 6590

**Gandinnovations - South East Asia**  
**Ann Ng**

Regional Manager  
 Gandinnovation Asia Pacific  
 Unit F, 7/F, Sunview Industrial Building,  
 No 3 On Yip Street  
 Hong Kong  
 Singapore : +65 9658 1348  
 Hong Kong : +852 9333 2033  
 E: southeastasia@gandigroup.com

**Gandinnovations - India**  
**Chandan Mishra**

T: +91 98203 32555  
**Manesh Shetty**  
 T: +91 98206 44007  
**Pradeep Satyanarayana**  
 T: +91 98802 84246  
 F: +91 22289 78242  
 E: india@gandigroup.com

**Gandinnovations - South America**  
**Cristian Gonzales**

T: (404) 451 5856  
 E: latinamerica@gandigroup.com

**Gandinnovations - Mexico**

**Carlos Guzman**  
 Gandinnovations S.A. De C.V.  
 Calzada San Simon # 27,  
 Col San Simon Tolnahuac,  
 Delegacion Cuauhtemoc,  
 Mexico DF CP 06920  
 T: +52 55 3946 0096  
 F: +52 55 3946 0091  
 E: mexico@gandigroup.com

*click, call or come in.*