

24 Spectra High Performance Piezoelectric Jetting Assembly prints at True 1200 dpi



Safety guards control switches

Mesh Adaptors



Safety guards with UV Protection

Intuitive user interface



Choice of Rips for different operating systems: Onyx | Wasatch SoftRip | Shiraz



High / Low vacuum system



Steel Frame Construction

Rewind (Take Up) Unit is built in

Safety Shut Off



Jeti 5024 UV RTR

Jeti 5024 UV Roll to Roll

The Jeti 5024 UV RTR with 24 Spectra print heads provides high speed graphics in 6 color with True 600 dpi achieving 45 sqm/hr (500 sqft/hr) in best quality mode. Environmentally friendly UV curable inks produce the fastest output of any UV roll to roll grand-format printer on the market today. The UV lamps instantly dries the ink to a number of materials including fabric, canvas, vinyl, plastic film, paper and polyester opening many new markets. The flexibility of printing 600 dpi resolution on any material gives the Jeti 5024 UV RTR the highest quality of any printer in its class. When print shops need a bigger solution to a large job, they call upon the Jeti 5024 UV RTR. A take-up unit is built into the printer allowing the machine to be run by a single operator. At the forefront of the technological enhancements is the software upgrade which can detect if any individual nozzle may be misfiring. The software will automatically compensate the saturation, safe-guarding the image output. This safe-proof technology is the first of its kind in the grand-format arena. The Jeti 5024 UVRTR also includes an automatic head capping feature (auto caps in 15 minutes if machine sets) and automated air vacuum system which eliminates manual head wiping.

Technical Specifications

Technology	Weight
Spectra High Performance Piezoelectric Jetting Assembly, quantity 24.	8500 lbs / 3855 kgs uncrated. Add 3000 lbs / 1360 kg for crating.
Print Resolution	Printer Dimensions
Prints high quality at True 600 dpi - 6 color (1200 dpi apparent); or high speed 300 dpi (600 dpi apparent). Print available at 300 dpi and 600 dpi. Gloss Mode now available.	72" h x 51" w x 308" l (182cm x 130cm x 782cm) Crated dims: 90" h x 72" w x 326" l.
Media Dimensions	Power Consumption
Roll max size: 5.1 meter / 16'8" wide. Max diameter is .3281m (12") on a 7.62cm (3") inside core.	25 KVA, 35A.
Media Types	Electrical Requirements
Reinforced vinyl, pressure sensitive vinyl, canvas, fabrics, mesh, and paper.	400Y/230v 3 phase, 50/60 Hz.
Printing Speeds	
IMPROVED SPEEDS on all resolutions, call for latest speeds on True 600 dpi and 300 dpi.	

Note: - For better adhesion to some plastic films a primer is available. Call for information. -Clear Top Coat Varnish for separate applications available in low, medium and high gloss.

Click, call or come down to see our full range of Grand Format Digital Printers.



Accessories (Included)	Print Head Cleaning Station, Rewind (Take Up) Unit (<i>built in</i>), Roll Lifter, Safety Guards (<i>built in</i>).
Software Platform	Microsoft Windows XP.
Supported Platforms	Microsoft Windows, Apple Machintosh, Linux.
Processors	P4 (3.4 GHz).
Interpreter	Custom - Gandinnovations Software Development.
Network	10/100/1000 Mbit/sec Ethernet.
Protocols	Ethertalk and TCP/IP.
Monitor	420mm (17 inch) LCD Flat panel Display.
Operator Console	Rotatable shelf with keyboard, mouse and monitor.
Input Formats	Adobe Postscript Level 3, Pdf, Jpeg, Tiff, Eps, RGB.
Rips	Includes your choice from:- Wasatch SoftRip, Onyx or Shiraz.
Compressed Air	80 PSI minimum - 100 PSI maximum with a 10 gallon (40 liter tank) 5 cfm peak.
Inks	Shelf life is 1 year for UV Inks. UV Inks will last 1-2 years depending on location. Water based clear top coat varnish is available as a separate application to increase outdoor life and to add or reduce gloss.
Special Inks	UV white or UV clear varnish can be added as spot colors.
Environment	Enclosed dust free room with ambient temperatures ranging from 20°C - 23°C (68°F - 73°F). Relative Humidity 40% to 55% to operate at optimum level (<i>Environment is critical for the printer</i>).
Warranty	1 year warranty on all parts including print heads, labor valid with the use of Gandinnovations original inks and parts. Extended warranty available on printer.
Services	Online Technical Support, 8:00am - 8:00pm (<i>eastern standard</i>) Monday - Friday, Fully qualified service engineers available onsite (<i>within 24 hrs</i>).

Gandinnovations - North America
Vice President of Sales North America
Cosimo Coffa
 1636 Shawson Drive,
 Mississauga, Ontario L4W1N7
 Canada
 T: (905) 564 6006 ext.223
 C: (416) 278 8208
 F: (905) 564 9339
 E: northamerica@gandigroup.com

Gandinnovations U.S.A
Service
 941 Isom Road
 San Antonio, TX 78216 U.S.A.
 T: (210) 344 9566
 F: (210) 344 9569
 E: marketing@gandigroup.com

Gandinnovations - Europe
Patrick Pittoors
Ann Robaye
 Wayenborgstratt 19
 2800 Mechelen
 Belgium
 T: +32 (0) 15 460 204
 F: +32 (0) 15 460 205
 E: europe@gandigroup.com

Middle East & Africa
Peter Afeiche
 EI-110 Eastwing DAFZA
 PO BOX 36159
 Dubai, UAE
 T: +971 (04) 299 6969
 F: +971 (04) 299 4119
 E: mideastafrica@gandigroup.com

Gandinnovations - Asia
Robert Ho
 Regional Sales Director
 10, USJ 11/2C, USJ Subang Jaya,
 47620, Selangor;
 Malaysia
 C: +60 12 202 1828
 F: +60 35 634 5268
 E: southeastasia@gandigroup.com

Gandinnovations - India
Chandan Mishra
 T: +91 98203 32555
Manesh Shetty
 T: +91 98206 44007
Pradeep Satyanarayana
 T: +91 98802 84246
 F: +91 22289 78242
 E: india@gandigroup.com.

Gandinnovations - South America
Cristian Gonzales
 T: (404) 451 5856
 E: latinamerica@gandigroup.com

Gandinnovations - Mexico
Carlos Guzman
 Gandinnovations S.A. De C.V.
 Calzada De La Viga # 1989
 Col. Prado Churubusco
 C.P.04230
 Delegacion Coyoacan, Mexico D.F.
 T: +52 55 55 82 68 08
 E: mexico@gandigroup.com

click, call or come in.